

PRESTON · LANCASHIRE · NORTH WEST

Materials & Colour Guide

Cemtec ready-to-use microcement

The systems we install, what goes into each one,
and the full 21-colour Cemtec range.

North West Microcement

UK DISTRIBUTOR & INSTALLER OF CEMENTEC

PART OF CEMENT 2.0 LTD

07526 150 535

FREE SURVEY · QUOTE IN 24 HOURS

««« MICRO »»»» CEMENTEC READY TO USE

MICROCEMENT READY TO USE
BY
TECNOCEMENTO®

North West Microcement

UK DISTRIBUTOR & INSTALLER · 07526 150 535

C20
CEMENT 2.0



North West Microcement

UK DISTRIBUTOR & INSTALLER · 07526 150 535

C20
CEMENT 2.0
DECORATIVE SOLUTIONS

WHAT IS CEMENTEC?

CEMENTEC is an state-of-the-art microcement ready to use range. It is one of the most demanding coatings to get a suggestive, personal and distinctive touch of design. Thanks to its easy application, without the need of previous experience, and the reduction of preparation times, it saves time and money. CEMENTEC applications allow the renovation and remodelling of spaces without the need of demolition nor creating debris, being faster and cleaner than other coatings (tiles, marble, wood, etc.), by not creating dust in its installation stages.

WHY CEMENTEC?

Because **it is ready to use** and:

- **Easy.** Directly weighted, measured and mixed.
- **Clean.** No dust cloud.
- **Intuitive.** NO need for training courses and special skills.
- **Reliable.** Product manufactured under strict quality protocols.
- **Complete.** Diversity of products and colors.

WHERE IS APPLIED?

This is one of the best advantages that microcement offers. It is a product suitable to apply on all type of supports and areas, both renovations and new building constructions. Most applied areas are usually bathrooms, showers, kitchens, stairs, furniture, housing and also commercial premises like shops, restaurants or general public areas.

APPLICATION OF CEMENTEC

1. PRIOR SURFACE PREPARATION

PREVIOUS
MEASURES.
PRIOR SURFACE
ADAPTATION

2. MICROCEMENT BASE

APPLICATION OF
2 MICROCEMENT
BASE LAYERS

3. MICROCEMENT DECORATIVE

APPLICATION OF
2 MICROCEMENT
LAYERS + COLOR

4. PROTECTION

APPLICATION
OF SEALER + 2
PROTECTIVE LAYERS

North West Microcement

UK DISTRIBUTOR & INSTALLER · 07526 150 535

C20
CEMENT 2.0
DECORATIVE SOLUTIONS

PURE CEMENTEC

CEMENTEC STANDARD

CEMENTEC STANDARD system can be used both on interior walls and floors, which are in optimal condition to be coated, reaching a smooth and continuous aesthetic. It is one of our most requested application systems due to its easy application and excellent result. Kitchens and bathrooms can be coated with CEMENTEC STANDARD as long as it is protected with our FINISH FORTE PLUS, a 100% waterproof and chemical resistance polyurethane. It can be applied on almost all type of supports (tiles, marble, concrete, plasterboard, etc.) although a prior surface adaptation must be carried out where microcement is going to be applied.

Includes:

- **Microcement Base**
- **Microcement Fino Standard + Pigment**
- **Primer**
- **Finish Forte or Finish Forte Plus**

And, also:

- Metallic trowel and spatula.
- Plastic pail.
- Microfiber roller and brush.



SMOOTH
TOUCH



2 SIZES



PLAIN COLOR



North West Microcement

UK DISTRIBUTOR & INSTALLER · 07526 150 535



North West Microcement

UK DISTRIBUTOR & INSTALLER · 07526 150 535

C20
CEMENT 2.0
DECORATIVE SOLUTIONS

PURE CEMENTEC

CEMENTEC TEXTURE

Unique system on ready-to-use coatings market with a textured aesthetic. This means that it has same appearance than traditional 2-component microcement. It can be applied on

interior walls and floors with marked and/or textured look.

Extraordinary application system due to its excellence visual relevance. Easy to apply and with an unmatched result.

Kitchens and bathrooms can be coated with CEMENTEC TEXTURE as long as it is protected with our FINISH FORTE PLUS, a 100% waterproof and chemical resistance polyurethane, in different shades. It must always be taken a proper adaptation of the supports where the system is going to be applied. Never apply any of our systems directly

on a support that has not been reviewed and repaired. Applicable on tiles, marble, concrete, plaster, etc.



SMOOTH
TOUCH



2 SIZES



TEXTURIZED
COLOR

Includes:

- **Microcement Base**
- **Microcement Fino Texture + Pigment**
- **Primer**
- **Finish Forte or Finish Forte Plus**

And, also:

- Metallic trowel and spatula.
- Plastic pail.
- Microfiber roller and brush.



North West Microcement

UK DISTRIBUTOR & INSTALLER · 07526 150 535

C20
CEMENT 2.0
DECORATIVE SOLUTIONS



North West Microcement

UK DISTRIBUTOR & INSTALLER · 07526 150 535

C20
CEMENT 2.0
FINISHING THE POSSIBLE

PURE CEMENTEC

CEMENTEC VINTAGE

Get that “retro” result with the application of this system

through a simple “mopping”. A vertical parament that looks like an “Old wall”, a floor in “Cinder” color, or a bathroom in “Winter Sea”, these are some of the many colors that we can

offer you.

Being applied on both interior walls and floors achieving a more textured and/or marked aesthetic. Besides, you can also apply this system in wet areas of

your home, with the use of FINISH FORTE PLUS, a varnish based on polyurethane with high chemical resistance and impermeability of 100%.

Keep in mind to previously adapt the prior supports where you are going to apply this system, and do not apply it directly.

An inspection and adaptation of prior supports is always necessary.

Includes:

- **Microcement Base**
- **Microcement Fino Texture**
- **Primer**
- **Vintage color selected.**
- **Finish Forte or Finish Forte Plus**

And, also:

- Metallic trowel and spatula.
- Plastic pail.
- Microfiber roller and brush.



SMOOTH
TOUCH



2 SIZES



AGED TEXTURE



North West Microcement

UK DISTRIBUTOR & INSTALLER · 07526 150 535



North West Microcement

UK DISTRIBUTOR & INSTALLER · 07526 150 535

C20
CEMENT 2.0
DECORATIVE SOLUTIONS

MEDIUM RESISTANCE CEMENTEC MEDIUM

We offer our MEDIUM RESISTANCE range which has slightly stronger resistances than PURE

CEMENTEC. Thicker aggregates + extra additives make up CEMENTEC MEDIUM.

Coating designed for those areas with medium-low pedestrian traffic. Furthermore, thanks to its selected aggregates,

provides anti-slip properties (prevent slipping) making it suitable for interior (home) and exterior floors

(terraces, shower trays, etc.). In addition, it can be applied on vertical paraments to give them a rougher and plain appearance.

Includes:

- **Microcement Base**
- **Microcement Medium + Pigment**
- **Primer**
- **Finish Forte Plus**

And, also:

- Metallic trowel and spatula.
- Plastic pail.
- Microfiber roller and brush.



ROUGH TOUCH



2 SIZES



MEDIUM
RESISTANCE



PLAIN COLOR



North West Microcement

UK DISTRIBUTOR & INSTALLER · 07526 150 535

C20
CEMENT 2.0
DECORATIVE SOLUTIONS



North West Microcement

UK DISTRIBUTOR & INSTALLER · 07526 150 535

C20
CEMENT 2.0
DECORATIVE SOLUTIONS

EXTREME CEMENTEC

CEMENTEC HIGH TRANSIT

The NEW development of CEMENTEC, an acrylic-based system resistant to medium-high pedestrian traffic. This feature is reached adding a polyurethane-based catalyst.

Possibility of plain aesthetics (Standard) or textured (Texture). In addition, it is a solvent and epoxy resins-free product. Easy to apply due to its thixotropic components, being suitable for interior floors that may suffer medium-high pedestrian traffic (private offices, building hallways, etc.).

Includes:

- **Microcement Base + HT Catalyst**
- **Microcement Fino + Pigment + HT Catalyst**
- **Primer**
- **Finish Forte Plus**

And, also:

- Metallic trowel and spatula.
- Plastic pail.
- Microfiber roller and brush.



ROUGH / SMOOTH
TOUCH



MEDIUM-HIGH FOOT
TRAFFIC



VARIETY OF TEXTURES



2 SIZES



North West Microcement

UK DISTRIBUTOR & INSTALLER · 07526 150 535

C20
CEMENT 2.0
DECORATIVE SOLUTIONS



North West Microcement

UK DISTRIBUTOR & INSTALLER · 07526 150 535

C20
CEMENT 2.0
DESIGNING THE FUTURE

EXTREME CEMENTEC

CEMENTEC EXTREME

The last development of CEMENTEC, a line of products capable to resist high pedestrian traffic and light hand machinery. CEMENTEC EXTREME application system is suitable for interior and exterior areas that can be circulated by high pedestrian traffic, as well as small movement of light hand machinery. It is a product with maximum surface hardness and wear resistance.

Furthermore, its combination with FINISH FORTE PLUS makes it the most complete coating in our range of products. Combines surface hardness, waterproof and chemical agents, along with a smooth and plain aesthetic appearance, for those who love continuous colors. Despite what it may seem, its application is very simple and has few steps to obtain

a satisfactory result. It is important that the prior support which is going to be coated is in good condition, perfectly anchored to the underlays and free of loose particles.

Includes:

- **Microcement Base Extreme**
- **Microcement Fino Extreme**
- **Primer**
- **Finish Forte Plus**

And, also:

- Metallic trowel and spatula.
- Plastic pail.
- Microfiber roller and brush.




SMOOTH
TOUCH



HIGH FOOT TRAFFIC



PLAIN COLOR



2 SIZES



North West Microcement

UK DISTRIBUTOR & INSTALLER · 07526 150 535



North West Microcement

UK DISTRIBUTOR & INSTALLER · 07526 150 535

C20
CEMENT 2.0
MICROCEMENT & FLOORS



OTHER PRODUCTS

North West Microcement

UK DISTRIBUTOR & INSTALLER · 07526 150 535

C20
CEMENT 2.0
DECORATIVE SOLUTIONS

TYPES OF TOP COATINGS

PRIMER

One component acrylic sealer

Application 1 layer of Primer + 20% with water, using a short-hair microfiber roller and brush. Presealer to seal the microcement. Product consumption approx 0,05 L/sqm/layer.



FINISH NATURAL

2-components and water-based varnish

Application 1 layer of Primer + 2 layers of FINISH NATURAL, using a short-hair microfiber roller and brush. Silky and natural touch which highlight the microcemento look. Product consumption approx. 0,05 L/sqm/layer.



FINISH FORTE



2-components and polyurethane varnish.

Application 1 layer of PRIMER + 2 layers of FINISH FORTE, using a short-hair microfiber roller and brush. Smooth touch for the superficial protection of microcement. Product consumption approx 0,05 L/sqm/layer.

FINISH FORTE PLUS



Polyurethane varnish 100% waterproof

Application 1 layer of PRIMER + 2 layers of FINISH FORTE PLUS, using a short-hair microfiber roller and brush. Durable and chemical products resistant, which highlight the microcement look. Product consumption approx. 0,05 L/m2/layer.

PRIOR SURFACE PREPARATION PRODUCTS



CONSOLIDADOR

Priming product used to consolidate surface and provide adherence. It is a one-component, solvent-free product.



SEAL

2-component epoxy priming product to regularize absorption of the materials applied on the same support.



CONSOLIDADOR FORTE

1-component adherence promoter product for continuous supports (without joints) that are highly disaggregated.




FIBERGLASS MESH

Very light type E fiberglass mesh to reinforce Cementec systems. It has alkaline protection.

DIFFERENT PRODUCT TEXTURES


SMOOTH GRAIN FINISH



MICROCE-
MENT FINO


MICROCE-
MENTO FINO
TEXTURE

MEDIUM GRAIN FINISH




MICROCEMENT
MEDIUM

ROUGH GRAIN FINISH



MICROCEMENT BASE

COLORS



WHITE

ARTIC

PEARL

MARENGO

STROMBOLI

BLACK

BALTIC*



SKIN

TOFFEE


CAMEL

SAND

GROVE
BUTTERFLY

LINEN

TURQUOISE



MAROON

WENG

OLIVE

ATACAMA

ARABIAN

FARAFRA

NAMIB

*product already colored under
minimum orders of 200 sqm

North West Microcement

UK DISTRIBUTOR & INSTALLER · 07526 150 535

C20
CEMENT 2.0
DECORATIVE SOLUTIONS



Discover how to apply
CEMENTEC:



North West Microcement

UK DISTRIBUTOR & INSTALLER · 07526 150 535

C20
CEMENT 2.0
DECORATIVE SOLUTIONS



BY

TECNOCEMENTO®

www.microcementec.com

C20
CEMENT 2.0
DECORATIVE SOLUTIONS

North West Microcement

UK DISTRIBUTOR & INSTALLER · 07526 150 535



THE NEXT STEP

See it in your own light first.

Send us photos and a short video walk-through of the room and we can price the job from your phone, usually the same day. Or we come to you — forty-five minutes, free, six days a week, across Preston and Lancashire.

CALL

07526 150 535

SURVEY

Free — by phone or in person

QUOTE

Usually within 24 hours

WARRANTY

15 years, written, at handover

North West Microcement

UK DISTRIBUTOR & INSTALLER OF CEMENTEC

PART OF CEMENT 2.0 LTD